




















# Infancy Well Visit Schedule

<u>Vaccines/ Age</u>	<u>HepB</u> (Hepatitis B)	<u>RV</u> (Rotavirus)	<u>Dtap</u> (Diphtheria, tetanus, & acellular pertussis)	<u>IPV</u> (Polio)	<u>HiB</u> (Haemophilus influenza type B)	<u>PCV</u> (Pneumococcal conjugate)	<u>Flu</u> (Influenza)	<u>Vitals</u>	<u>Tests/ Screens</u>	<u>Notes</u>
<b>Birth</b>									Hearing, Newborn Screen	None
<b>3-5 days</b>								Height, Weight, Head Circumference		Check hearing results, Start Vitamin D if breastfeeding
<b>2 weeks</b>								Weight		This is NOT a well visit
<b>1 Month</b>								Height, Weight, Head Circumference	Maternal Depression Screen Tuberculosis risk assessment	Check newborn screen,
<b>2 Months</b>								Height, Weight, Head Circumference	Maternal Depression Screen	None
<b>4 Months</b>								Height, Weight, Head Circumference	Developmental Screen, Maternal Depression Screen	None
<b>6 Months</b>								Height, Weight, Head Circumference	Maternal Depression Screen, Lead Screen, Tuberculosis risk assessment	Consider starting fluoride
<b>9 Months</b>								Height, Weight, Head Circumference	Developmental Screen, Lead Screen	Consider fluoride